

acc. to OSHA, Appendix D to § 1910.1200

Prestige Silica Paste Wax

Version number: GHS 1.0

SECTION 1: Identification

1.1 Product identifier Trade Name

Prestige Silica Paste Wax

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

vehicle wax

1.3 Details of the supplier of the safety data sheet Mark Supply, Inc. 156 Progress Cir. Venice, FL 34285

941-485-8199

www.msitrt.com

1.4 Emergency telephone number

Emergency information service

INFOTRAC - 1.800.535.5053 24 hour emergency telephone number.

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification. This mixture does not meet the criteria for classification as hazardous according to OSHA, Appendix D to 1910.1200.

Hazards not otherwise classified

Toxic to aquatic life with long lasting effects (GHS category 2: aquatic toxicity - acute and/or chronic).

2.2 Label elements
Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)
Signal word
Pictograms
not required
Not required

2.3 Other hazards

This material is combustible, but will not ignite readily.



Prestige Silica Paste Wax

Version number: GHS 1.0

Date of compilation: 2018-01-29

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Hazard c	lass and category	Hazard state- ment
Distillates (petroleum), hydrotreated light	CAS No 64742-47-8 EC No	50-<75	A.10	Asp. Tox. 1	H304
	265-149-8				
	REACH Reg. No 01-2119484819- 18-xxxx 01-2119942421- 46-xxxx				

For full text of abbreviations: see SECTION 16. Exact percentage of ingredients is withheld as a trade secret.

SECTION 4: First-aid measures

4.1

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

Provide fresh air.

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

Following eye contact

Irrigate copiously with clean, fresh water, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.



acc. to OSHA, Appendix D to § 1910.1200

Prestige Silica Paste Wax

Version number: GHS 1.0

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media water, foam, ABC-powder Unsuitable extinguishing media

water jet

- 5.2 Special hazards arising from the substance or mixture Hazardous combustion products nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)
- 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up Advices on how to contain a spill

Covering of drains. - Take up mechanically.

Advices on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



acc. to OSHA, Appendix D to § 1910.1200

Prestige Silica Paste Wax

Version number: GHS 1.0

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

Warning

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Explosive atmospheres

Removal of dust deposits.

Incompatible substances or mixtures

Observe compatible storage of chemicals.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

No information available.

Relevant DNELs/DMELs/PNECs and other threshold levels

No data available.

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection



Prestige Silica Paste Wax

Version number: GHS 1.0

Date of compilation: 2018-01-29

hand protection

Wear protective gloves.

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	solid (waxy)
Color	blue
Odor	sweet
Other physical and chemical parameters	
pH (value)	not applicable
Melting point/freezing point	not determined
Initial boiling point and boiling range	>65 °C at 1 atm
Flash point	82 °C at 101.3 kPa 180 °F at 1 atm (closed cup)
Evaporation rate	not determined
Flammability (solid, gas)	this material is combustible, but will not ignite readily
Vapor pressure	0.004 kPa at 20 °C
Density	not determined
Relative density	0.82 (water = 1)
Solubility(ies)	not determined
Partition coefficient	
n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	215 °C
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidizing properties	none



acc. to OSHA, Appendix D to § 1910.1200

Prestige Silica Paste Wax

Version number: GHS 1.0

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Physical stresses which might result in a hazardous situation and have to be avoided

strong shocks

10.5 Incompatible materials

oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.



acc. to OSHA, Appendix D to § 1910.1200

Prestige Silica Paste Wax

Version number: GHS 1.0

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Carcinogenicity

- National Toxicology Program (United States):
- IARC Monographs
- OSHA Carcinogens (United States)

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Distillates (petroleum), hydrotreated light	64742-47-8	LL50	5 ^{mg} / _l	fish	96 h
Distillates (petroleum), hydrotreated light	64742-47-8	EL50	1.4 ^{mg} / _l	aquatic inverteb- rates	48 h

Aquatic toxicity (chronic)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Distillates (petroleum), hydrotreated light	64742-47-8	LL50	17 ^{mg} / _l	fish	24 h
Distillates (petroleum), hydrotreated light	64742-47-8	EL50	4.6 ^{mg} / _l	aquatic inverteb- rates	24 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

none of the ingredients are listed none of the ingredients are listed none of the ingredients are listed



acc. to OSHA, Appendix D to § 1910.1200

Prestige Silica Paste Wax

Version number: GHS 1.0

Date of compilation: 2018-01-29

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Other adverse effects** Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SEC	TION 14: Transport information			
14.1	UN number	(not subject to transport regulations)		
14.2	UN proper shipping name	not relevant		
14.3	Transport hazard class(es)			
	Class	-		
14.4	Packing group	not relevant		
14.5	Environmental hazards	NONE (non-environmentally hazardous acc. to the dangerous goods regulations)		
14.6	Special precautions for user			
	There is no additional information.			
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code			

The cargo is not intended to be carried in bulk.

SECTION 15: Regulatory information

 15.1
 Safety, health and environmental regulations specific for the product in question

 National regulations (United States)
 all ingredients are listed or exempt from listing

 Toxic Substance Control Act (TSCA)
 all ingredients are listed or exempt from listing

 SARA TITLE III (Superfund Amendment and Reauthorization Act)
 List of Extremely Hazardous Substances (40 CFR 355) (EPCRA Section 302 and 304)

 Specific Toxic Chemical Listings (40 CFR 372) (EPCRA Section 313)
 none of the ingredients are listed



acc. to OSHA, Appendix D to § 1910.1200

Prestige Silica Paste Wax

Version number: GHS 1.0

Date of compilation: 2018-01-29

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)Section 102(A) Hazardous Substances (40 CFR 302.4)none of the ingredients are listedClean Air Actnone of the ingredients are listedDrug precursors, Controlled Substances Act (21none of the ingredients are listedU.S.C. § 802)None of the ingredients are listed

Industry or sector specific available guidance(s) NPCA-HMIS® III

Hazardous Materials Identification System (American Coatings Association)

Category	Rating	Description
Chronic	/	None.
Health	0	No significant risk to health.
Flammability	1	Material that must be preheated before ignition can occur.
Physical hazard	1	Material that is normally stable but can become unstable (self-react) at high temperatures and pres- sures. Material may react non-violently with water or undergo hazardous polymerization in the ab- sence of inhibitors.
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)

Category	Degree of hazard	Description
Flammability	1	Material that must be preheated before ignition can occur.
Health	0	Material that, under emergency conditions, would offer no hazard beyond that of ordinary combust- ible material.
Instability	0	Material that is normally stable, even under fire conditions.
Special hazard		

Right to Know Hazardous Substance List Proposition 65 List of chemicals

none of the ingredients are listed none of the ingredients are listed

Relevant European Union (EU) safety, health and environmental provisions

Classification according to GHS (1272/2008/EC, CLP)		
Hazard class	Category	Hazard class and category
hazardous to the aquatic environment - chronic hazard	2	(Aquatic Chronic 2)



acc. to OSHA, Appendix D to § 1910.1200

Prestige Silica Paste Wax

Date of compilation: 2018-01-29

Version number: GHS 1.0

SECTION 16: Other information, including date of preparation or last revision

16.2 Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Asp. Tox.	Aspiration hazard
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of sub- stances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC Monographs	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NFPA® 704	National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Re- sponse (United States)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
РВТ	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
vPvB	Very Persistent and very Bioaccumulative

16.3 Key literature references and sources for data

- OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200 49 CFR § 172.101 Hazardous Materials Table (DOT)
- -

Classification procedure 16.4

Physical and chemical properties: The classification is based on tested mixture. Health hazards/Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

16.5

List of relevant phrases (code and full text as stated in chapter 2 and 3)



acc. to OSHA, Appendix D to § 1910.1200

Prestige Silica Paste Wax

Version number: GHS 1.0

Date of compilation: 2018-01-29

Code	Text
H304	May be fatal if swallowed and enters airways.

16.7

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.